AMENDMENTS TO THE CLAIMS

- 1. (Currently Amended) A method for identifying a <u>candidate</u> compound that treats for treating a neoplasia, said method comprising the steps of:
- (a) contacting a cell comprising a <u>loss of function</u> mutation in a Class B synMuv gene <u>having at least 95% sequence identity to SEQ ID NO: 24 selected from the group consisting of: *mep-1*, *lin(n3628)*, *lin(n4256)*, and *lin-65* and a second <u>loss of function</u> mutation in a <u>Class A</u> synthetic multivulval gene, or an ortholog thereof, with a candidate compound;</u>
- (b) detecting <u>cell proliferation</u> a phenotypic phenotype alteration in said contacted cell relative to a control cell; wherein a candidate compound that alters the phenotype of said contacted cell relative to said control cell is a compound that treats a neoplasia. <u>and</u>
- (c) comparing said cell proliferation in said contacted cell to cell proliferation in a control cell, wherein said control cell is not contacted with said candidate compound, wherein a decrease in cell proliferation in said contacted cell relative to a said control cell identifies a candidate compound for treating a neoplasia.
 - 2. (Original) The method of claim 1, wherein said cell is in a nematode.
- 3. (Original) The method of claim 1, wherein said cell is an isolated mammalian cell.
 - 4-21. (Canceled)
- 22. (New) The method of claim 1, wherein the Class A synthetic multivulval gene is *lin-15A* or *lin-38*.

- 23. (New) A method for identifying a candidate compound for treating a neoplasia, said method comprising the steps of:
- (a) contacting a cell comprising a loss of function mutation in a Class B synMuv gene having at least 95% sequence identity to SEQ ID NO: 26 and a second loss of function mutation in a Class A synthetic multivulval gene with a candidate compound;
 - (b) detecting cell proliferation in said contacted cell; and
- (c) comparing said cell proliferation in said contacted cell to cell proliferation in a control cell, wherein said control cell is not contacted with said candidate compound,

wherein a decrease in cell proliferation in said contacted cell relative to a said control cell identifies a candidate compound for treating a neoplasia.

- 24. (New) The method of claim 23, wherein the Class A synthetic multivulval gene is *lin-15A* or *lin-38*.
 - 25. (New) The method of claim 23, wherein said cell is in a nematode.
- 26. (New) The method of claim 23, wherein said cell is an isolated mammalian cell.
- 27. (New) A method for identifying a candidate compound for treating a neoplasia, said method comprising the steps of:
- (a) contacting a cell comprising a loss of function mutation in a Class B synMuv gene having at least 95% sequence identity to SEQ ID NO: 28 and a second loss of function mutation in a Class A synthetic multivulval gene, with a candidate compound;
 - (b) detecting cell proliferation in said contacted cell; and
- (c) comparing said cell proliferation in said contacted cell to cell proliferation in a control cell, wherein said control cell is not contacted with said candidate compound,

wherein a decrease in cell proliferation in said contacted cell relative to a said control cell identifies a candidate compound for treating a neoplasia.

- 28. (New) The method of claim 27, wherein the Class A synthetic multivulval gene is *lin-15A* or *lin-38*.
 - 29. (New) The method of claim 27, wherein said cell is in a nematode.
- 30. (New) The method of claim 27, wherein said cell is an isolated mammalian cell.
- 31. (New) A method for identifying a candidate compound for treating a neoplasia, said method comprising the steps of:
- (a) contacting a cell comprising a loss of function mutation in a Class B synMuv gene having at least 95% sequence identity to SEQ ID NO: 2 and a second loss of function mutation in a Class A synthetic multivulval gene with a candidate compound;
 - (b) detecting cell proliferation in said contacted cell; and
- (c) comparing said cell proliferation in said contacted cell to cell proliferation in a control cell, wherein said control cell is not contacted with said candidate compound,

wherein a decrease in cell proliferation in said contacted cell relative to a said control cell identifies a candidate compound for treating a neoplasia.

- 32. (New) The method of claim 31, wherein the Class A synthetic multivulval gene is *lin-15A* or *lin-38*.
 - 33. (New) The method of claim 31, wherein said cell is in a nematode.

34. (New) The method of claim 31, wherein said cell is an isolated mammalian cell.